

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6,199,124").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/07 13:55
S393	30	S392 and (preempt\$5 or pre?empt\$6 or abandon\$5 or disconnect\$5 or terminate or terminating or terminated) near3 priorit\$6 near5 (connect\$6 or link or path or route cost or node or network or privat\$5 or access\$5 or high\$5 or previlag\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/03 15:31
S389	398	S388 and (preempt\$5 or pre?empt\$6 or abandon\$5 or disconnect\$5) near3 (priorit\$6 or connect\$6 or link or path or route cost or node or network or privat\$5 or access\$5 or high\$5 or previlag\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/03 15:30
S392	110	S391 and second near2 (network or private or public\$5 node connection priorit\$6)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/03 15:15
S391	192	S390 and @ad<"19990501"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/03 15:14
S390	395	S389 and ( priorit\$6 or connect\$6 or link or path or route cost or node or network or privat\$5 or access\$5 or high\$5 or previlag\$5) near3 (priorit\$6 connect\$6 or link or path or route cost or node or network or privat\$5 or access\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/03 15:14
S388	2977	assign\$5 near3 priorit\$6 near5 (connect\$6 or link or path or route cost or node or network or privat\$5 or access\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/03 15:04

S38 7	2	("6487663").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/03 15:01
S38 6	2	("6487663").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 16:56
S38 5	10	((preempt\$5 switch\$4 near2 over or switch\$5over) same ( high\$4 or low\$4) near2 (priority or qos subscriber user) same (circuit-switched or circuit adj switched or pstn)) and (packet or ip or internet)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/06/02 16:54
S38 3	12	(US-20030002477-\$).did. or (US-6621420-\$ or US-6542739-\$ or US-6243580-\$ or US-6058307-\$ or US-6760312-\$ or US-6542499-\$).did.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 13:29
S38 1	33	S369 AND S380	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 13:20
S38 0	38	S371 AND ((rout\$3 NEAR2 path) OR channel OR circuit) AND (pre\$1empt\$3 OR block\$3 OR prevent\$3 OR inhibit\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:38
S37 9	2	S371 AND rout\$3 AND path AND preempt\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:34
S37 8	9	S377 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:24
S37 7	72	S373 AND rout\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:21
S37 6	29	S373 AND path	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:21

S37 3	197	butt\$1in	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:21
S36 8	413	(preempt\$3 OR butt\$1in) (path OR rout\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:21
S37 2	2	S370 AND S371	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 12:14
S37 1	157	(379/208.01).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 12:14
S37 0	204	S368 AND S369	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:14
S36 9	1795412 8	@ad<"19990618"	US-PGPU B; USPAT; EPO; JPO; DERWENT	WITH	ON	2005/06/02 12:14
S35	2	((priorit\$4 NEAR3 rout\$3 ) SAME assign\$3 SAME path ) SAME (first NEAR3 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 12:08
S36 7	17	S366 AND @ad<"19990517"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S36 6	31	S364 AND S365	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S36 5	261	priority WITH routing WITH path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S36 4	3908	(370/351,395.21,230,235, 237,238).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 10:30
S36 3	2	("6199124").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 10:30
S36 2	11	S359 AND @ad<"19990517"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S36 1	10	S359 AND S360	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S36 0	12899	field WITH camera WITH view	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 9	45	surveillance NEAR network SAME camera	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 8	387	surveillance NEAR network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 7	9	network SAME surveillance SAME (camera OR system)SAME view SAME camera SAME similar\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S35 6	0	S354 AND (view SAME camera SAME similar\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 5	6	S354 AND (traffic WITH center)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 4	80	S353 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 3	262	network NEAR2 surveillance WITH (camera OR system)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 2	8	S351 AND elapsed NEAR2 time	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 1	87	S350 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S35 0	156	(add\$3 OR sum\$4 OR combin\$3)WITH (priority OR priorities) WITH factor	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 9	14	S348 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 8	55	migrat\$3 NEAR request NEAR4 server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S34 7	1	elaps\$3 NEAR time AND S346	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 6	2	("6199124").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 10:30
S34 5	6	establish\$3 WITH routing WITH path WITH neighboring WITH node	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 4	14	S343 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 3	24	migrating NEAR2 request	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 2	13	migrating NEAR request	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 1	2	S340 AND migrat\$3 NEAR request	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S34 0	3	(migrat\$3 NEAR5 request)WITH (first NEAR (node OR server) AND second NEAR (node OR server))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S33 9	5	(migrat\$3 NEAR2 request)WITH (first AND second) WITH (node OR server)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S338	25	(migrat\$3 AND request).ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S337	5	S336 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S336	47	S335 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S335	53	S334 AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S334	93	migrat\$3 NEAR3 request NEAR4 (node OR server OR terminal)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S333	4	migrat\$3 NEAR3 request NEAR4 (node OR server OR terminal)NEAR6(first AND second)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S332	25	migrat\$3 WITH request WITH (node OR server)WITH (first AND second)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S331	222	migrat\$3 WITH request WITH (node OR server)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S330	21	S328 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S32 9	11	((("5402478") or ("5832197") or ("6115751") or ("6487289") or ("6490287") or ("6493317") or ("6590867") or ("6826405") or ("20020146103") or ("5991302") or ("6335927") or ("5218676")).PN.	USPAT	OR	OFF	2005/06/02 10:30
S32 8	21	S326 AND pre\$1empt\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 7	21	S326 AND pre\$11empt\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 6	147	S324 AND priority SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 5	5	S324 SAME priority SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 4	4914	(connect\$3 OR integrat\$3)WITH private WITH (public OR PSTN) WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 3	5	S322 SAME priority SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 2	4689	(connect\$3 OR integrat\$3)WITH private WITH public WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S32 1	13	S320 AND integrat\$3 SAME network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30



S320	19	S319 AND priority SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S319	30	(US-20010056579-\$ or US-20020131363-\$ or US-20020146103-\$ or US-20030191848-\$).did. or (US-5218676-\$ or US-5402478-\$ or US-5832197-\$ or US-5881313-\$ or US-5933590-\$ or US-5953312-\$ or US-6115751-\$ or US-6188674-\$ or US-6199124-\$ or US-6308281-\$ or US-6323897-\$ or US-6400681-\$ or US-6424624-\$ or US-6480495-\$ or US-6487289-\$ or US-6490287-\$ or US-6493317-\$ or US-6496480-\$ or US-6590867-\$ or US-6618366-\$ or US-6754214-\$ or US-6757297-\$ or US-6826405-\$ or US-5991302-\$ or US-5583860-\$ or US-6215771-\$).did. or (WO-200079719-\$).did.	US-PGPU B; USPAT; DERWENT	SAME	ON	2005/06/02 10:30
S318	2	S317 AND elapsed NEAR4 time	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S317	12	S316 AND routing AND path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S316	127	S315 AND @ad<"19990527"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S315	249	(multiple OR plural\$3) WITH priority WITH factor	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S314	8	S313 AND ((first AND second) NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S313	47	S312 AND @ad<"19990527"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S312	75	S311 AND path AND select\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S311	106	S310 AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S310	209	priority WITH assign\$5 WITH node WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S309	14	S308 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S308	27	S307 SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S307	487	integrat\$3 WITH private WITH public WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S306	15	pre\$1empt\$3 WITH path WITH routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S305	5	S304 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S304	27	S303 SAME (congest\$3 OR fail\$3 )	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S303	1750	using WITH public WITH network WITH ((private OR local)NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S302	15	S299 AND pre\$1empt\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S301	4	S299 AND voip	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S300	3	S299 SAME voip	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S299	113	assign\$3 WITH high\$2 WITH priority WITH path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S298	10	S294 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S29 7	6	S295 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 6	8	S295 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 5	22	S294 AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 4	32	request NEAR3 associated NEAR3 (first NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 3	11	S292 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 2	25	S291 AND path AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 1	84	S290 SAME network SAME (packet OR data OR flow OR request OR message)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S29 0	1030	assigning WITH high\$2 WITH priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 9	10	S288 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S28 8	44	class SAME priority SAME routing SAME path SAME network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 7	8	((("5237695") or ("5633866") or ("5686167") or ("5864542")). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/02 10:30
S28 6	23	S285 AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 5	32	S284 AND assigning AND higher AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 4	128	class WITH priority WITH path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 3	13	class WITH priority WITH path WITH routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 2	3	PRIORITY WITH path WITH associated WITH ((first OR primary) NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 1	1	PRIORITY WITH path WITH associated WITH (primary NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S28 0	2	routing WITH path WITH associated WITH (primary NEAR2 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S27 9	6	assign\$3 NEAR4 priority NEAR3 path NEAR5 routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 8	50	priority NEAR3 path NEAR5 routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 7	43	priority NEAR based NEAR routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 6	6	S275 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 5	25	S274 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 4	68	S273 SAME routing SAME path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 3	8113	private NEAR network SAME public	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 2	5	S234 AND S271	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S27 1	65	S270 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S270	176	priority SAME routing SAME path SAME assign\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S269	12	S268 SAME path SAME routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S268	2822	assign\$3 NEAR2 high\$2 NEAR4 priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S267	3	assign\$3 NEAR2 high\$2 NEAR4 routing NEAR5 path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S266	10	S263 AND S264 AND S265	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S265	141797	path.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S264	15353	routing.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S263	17511	priority.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S262	9	S234 AND S257	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S26 1	11	(Preempt\$3 OR reserv\$3) WITH routing WITH path WITH priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S26 0	6	S234 AND S259	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 9	83	S257 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 8	14	S257 SAME priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 7	179	(Preempt\$3 OR reserv\$3) WITH routing WITH path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 6	11	Preempt\$3 WITH routing WITH path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 5	7	policy NEAR3 based NEAR3 routing NEAR5 priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 4	8	S253 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 3	23	S252 AND routing AND path	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30



S25 2	49	S250 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 1	48	priority WITH (message OR request) WITH associated WITH (first OR second OR public OR private) WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S25 0	157	(integrat\$3 OR connecting)NEAR4 (public AND private) NEAR2 network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S24 9	14	giv\$3 WITH priority WITH (message OR packet OR data) WITH associated WITH (first OR second) WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S24 8	8	associated WITH first WITH network AND S247	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S24 7	28	S246 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S24 6	71	S241 AND S245	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/02 10:30
S24 5	12698	private network AND public	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/02 10:30
S24 4	40	S243 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S24 3	139	S242 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/06/02 10:30
S24 2	368	S241 AND routing	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/06/02 10:30
S24 1	1979	integrat\$3 first second network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/06/02 10:30
S24 0	24	S237 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 9	44	priority WITH (message OR request) WITH associated WITH (first OR second) WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 8	1	S234 and S237	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 7	44	priority WITH (message OR request) WITH associated WITH (first OR second) WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 6	9	S234 AND S235	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 5	97	Priority SAME rout\$3 SAME path SAME network SAME (device OR node OR computer) SAME associat\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S23 4	5024	(709/238,239,240,241,242, 249,250).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/02 10:30
S23 3	22	S232 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 2	120	S230 AND priority	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 1	2	S222 AND S230	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S23 0	404	integrat\$3 SAME private SAME network SAME cellular	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 9	20	S228 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 8	42	S222 SAME (first AND second) SAME network	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 7	1	S226 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 6	51	S223 AND ((emergency OR surveillance)SAME network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30

S22 5	4	S224 AND @ad<"19990615"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 4	63	S223 AND ((emergency OR surveillance OR (traffic NEAR monitor\$3))SAME network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 3	213	S222 AND ((WAN OR global OR cellular) WITH network)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 2	503	Priority SAME rout\$3 SAME path SAME network SAME (device OR node OR computer)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/06/02 10:30
S22 1	8	(preempt\$3 SAME rout\$3 SAME path) SAME associat\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S22 0	90	preempt\$3 SAME rout\$3 SAME path	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 9	2	((priorit\$4 NEAR3 rout\$3 ) SAME assign\$3 SAME path ) SAME (first NEAR3 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 8	60	(priorit\$4 NEAR3 rout\$3 ) SAME assign\$3 SAME path	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 7	4000	priorit\$4 NEAR3 rout\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 6	12124	((709/238,239,240,241,242, 249,250).CCLS.) ((709/203, 207,225).CCLS.)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 5	7590	(709/203,207,225).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/02 10:30

S21 4	13	assign\$3 SAME higher SAME priorit\$3 SAME (rout\$3 OR path) SAME ((first OR Ethernet OR LAN) NEAR3 network)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 3	24	((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) SAME priorit\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 2	0	((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) SAME priorit\$3) AND ((709/238,239,240,241, 242,249,250).CCLS.)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 1	248	((709/238,239,240,241,242, 249,250).CCLS.) AND ((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network)))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S21 0	8414	((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network)))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 9	5024	(709/238,239,240,241,242, 249,250).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/02 10:30
S20 8	2	("6553413").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/02 10:30
S20 7	2	("6577628").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/02 10:30

S20 6	11	priority SAME routing SAME (first ADJ network) SAME nodes	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 5	463	(integrat\$3 OR coupl\$3)SAME((surveillance NEAR2 network) OR (first ADJ2 network)) SAME (WAN OR Internet OR Global ADJ network)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 4	17	(integrat\$3 OR coupl\$3) NEAR3 ((surveillance NEAR network) OR (first ADJ2 network)) NEAR (WAN OR Internet OR Global ADJ network)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 3	31	Integrat\$3 NEAR2 first NEAR network NEAR3 second NEAR4 network	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 2	19	(coupl\$3 WITH first WITH second WITH network) AND (assign\$3 SAME higher SAME priority SAME (rout\$3 OR path))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 1	3	(coupl\$3 WITH first WITH second WITH network) SAME (assign\$3 SAME higher SAME priority SAME (rout\$3 OR path))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S20 0	12665	coupl\$3 WITH first WITH second WITH network	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 9	20	(Integrated ADJ Network ADJ System).ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 8	73	(assign\$3 SAME rout\$3 SAME priorit\$3) AND (((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 7	4	(surveillance NEAR network) SAME traffic SAME camera	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 6	387	surveillance NEAR network	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30

S19 5	3	(((((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) AND (assign\$3 SAME rout\$3 SAME priorit\$3)) AND (((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path)))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 4	1346	((first NEAR2 network) OR LAN) AND ((second NEAR2 network) OR WAN)AND (routing NEAR2 path)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 3	116	(((((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))) AND (assign\$3 SAME rout\$3 SAME priorit\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 2	2349	assign\$3 SAME rout\$3 SAME priorit\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 1	8414	((Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network)) ) SAME ((public OR Global OR WAN) NEAR3 (communication OR network))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30
S19 0	36153	(Integrat\$3 OR connect\$3) NEAR4 ((Private ADJ network) OR LAN OR (surveillance NEAR2 network))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/02 10:30